





CHINA MOBILE+86-13266386725 INDIA MOBILE+91-7300075069







# Z5-3558

- Closing method: damping buffer
- Material: Zinc alloy, stainless steel
- Surface treatment: spray coating
- Bearing weight: 40kg
- Used for: wine cabinets, cloakrooms, bookshelves

- Up and down adjustment: -2.5mm/+2.5mm





















### A1-3558

- Suitable for specialized aluminum frame doors with a thickness of 35
- Curvature of hinge arm: Mid curved arm
   Maximum cover position: 17mm
- Closing method: damping buffer
- Material: Zinc alloy, stainless steel shaft
   Surface treatment: spray coating
- Load capacity: 40KG
- Applicable: Wine cabinets, cloakrooms, display cabinets, bookshelves, etc

- Color: Gold, light gray, dark gray, black
   Silver (customizable)
- Features: Wide angle opening,
   super strong load-bearing capacity,
- Silent buffering, simple and beautiful.
- Over adjustment: -3.0mm
- Depth adjustment: -0.5mm/+4.0mm
- Up and down adjustment: -2.5mm/+2.5mm





mm



#### Invisible hinge

- Suitable for wooden doors or aluminum frame doors with a thickness of 18mm or more
- Cabinet door load-bearing capacity: 25KG
- Opening angle: 105 °
- Material: Zinc alloy
- Surface treatment: Nickel plating
- Ocolor: Gun Black, Gold Customizable
- Applicable: various wooden doors, aluminum frame doors, wine cabinet doors, etc
- Features: Three dimensional adjustment,
   damping system, concealed installation







CHINA MOBILE+86-13266386725 INDIA MOBILE+91-7300075069









#### Heavy duty hinge

- Suitable for wooden doors or aluminum frame doors with a thickness of 18mm or more
- Cabinet door load-bearing capacity: 30KG
- Opening angle: 105 °
- Material: Zinc alloy
- Surface treatment: Nickel plating
- Color: Gun Black, Gold Customizable
- Applicable: various wooden doors, aluminum frame doors, wine cabinet doors, etc
- Features: Three dimensional adjustment, damping system, concealed installation











Material: Stainless steel Feature
Process treatment: brushed/glossy
Product application: Suitable for 5-8mm thick glass

Features: Automatic door closing, hydraulic buffering

Suitable for glass door cabinets and cabinets with wooden frames

glass Bookcases, wine cabinets, display cabinets, display cabinets

REAL PROJECTS | VG©©D®

CHINA MOBILE+86-13266386725 INDIA MOBILE+91-7300075069



- Product Material: Zinc Alloy
- Surface treatment: Nickel plating
- ●Installation Method: Door Panel Drilling Concealed Installation
  - Scope of application: Cabinets, wardrobes, up and down folding doors, furniture specific hinges



## REAL PROJECTS | VG @ D ®

CHINA MOBILE+86-13266386725 INDIA MOBILE+91-7300075069



- Minimum door thickness:40mm
- Front and rear adjustment: ±1.5mm
- Left and right adjustment: ±3mm
- Maximum door weight:70KG
- Opening angle:110 °
- Product Material:Zinc Alloy







- Minimum door thickness:40mm
- Front and rear adjustment: ±1.5mm Opening angle: 110 °
- Left and right adjustment: ±3mm Product Material: Stainless Steel
- Maximum door weight: 100KG





